

SALE DATE: Wednesday, May 18th, 10:00 A.M. Doors Open @ 8:00 A.M.

PUBLIC MACHINERY AUCTION

• Surplus to the Ongoing Operations of CnD Industries Inc.,
Bankruptcy Case No. 10-62363

• American Roll & Hold LLC

• Prestige Equipment Leasing

INSPECTION: Tuesday, May 17th 8:00 A.M. - 5:00 P.M. & Morning of Sale

HEAVY MACHINERY &
FABRICATING EQUIPMENT

G2000 - THE AUCTION COMPANY
YOU'RE NOT JUST A BIDDER, YOU'RE OUR CUSTOMER!

THESE ITEMS AND MORE • DON'T MISS THIS SALE

• Surplus to the Ongoing Operations
of CnD Industries Inc.,
Bankruptcy Case No. 10-62363

• American Roll & Hold LLC

• Prestige Equipment Leasing

**706 Tuscarawas St.
Canton, OH 44706**

Sale conducted by:



G-2000 Inc.

Machinery Auctioneers

Scott Yoder, Auctioneer

1050 N. Westwood
Toledo, Ohio 43607

Website: www.g2000inc.com

E-Mail: auctions@g2000inc.com

419-536-4445

Fax 419-536-4846

Can't attend this auction?

Now you can

bid from ANYWHERE!

Visit www.bidspotter.com for
information or call our office
to pre-register.



6" Lucas Floor Type CNC Horizontal Boring Mill 10' x 30' Floor Plate

2005
Rebuilt & Retrofitted
w/ GE
Fanuc Control


6" CNC HORIZONTAL BORING MILL

6" Lucas Floor Type CNC Horizontal Boring Mill, Model 50F2412, SN 50F011 (1972), Retro Fit 2005 With Air Conditioned GE Fanuc OIMB CNC Control, 6" Diameter Spindle, 5" Diameter Auxiliary Spindle, #50 Taper, 144" Vertical Head Travel (Y-Axis), 288" Column Travel (X-Axis), 60" Spindle Travel (Z-Axis), 6 - 900 RPM, Underarm Spindle Ram Support w/ 60" Travel, Power Draw Bar, Right Angle Milling Head,

50 HP Main Drive, Chip Conveyor, Sliding Steel Way Covers, (2) 120" x 173" x 10" Thick T-Slotted Floor Plates 10' x 30' Total

ROLLS

Heller MG 4-Roll Double Initial Pinch Plate Bending Roll, Model EH Type 350H, SN 99047 (1999) Plate Capacity Max 10' x 2" Thick (Location Prestige, 4520 Southway)



Heller MG 4-Roll Double Initial Pinch Plate Bending Roll 10' x 2"

1999




6" Lucas Floor Type CNC Horizontal Boring Mill

6" CNC HORIZONTAL BORING MILL

6" Lucas Floor Type CNC Horizontal Boring Mill, Model 50F2412, SN 50F011 (1972), Retro Fit 2005 With Air Conditioned GE Fanuc OIMB CNC Control, 6" Diameter Spindle, 5" Diameter Auxiliary Spindle, #50 Taper, 144" Vertical Head Travel (Y-Axis), 288" Column Travel (X-Axis), 60" Spindle Travel (Z-Axis), 6 - 900 RPM, Underarm Spindle Ram Support w/ 60" Travel, Power Draw Bar, Right Angle Milling Head, 50 HP Main Drive, Chip Conveyor, Sliding Steel Way Covers, (2) 120" x 173" x 10" Thick T-Slotted Floor Plates



6" Lucas Floor Type CNC Horizontal Boring Mill




6" Lucas Floor Type CNC Horizontal Boring Mill




6" Giddings & Lewis Floor Type Horizontal Boring Mill 12' x 32' Floor Plate



Angle Plates



6" Giddings & Lewis Floor Type Horizontal Boring Mill



5" Lucas Table Type Horizontal Boring Mill



3" Lucas Table Type Horizontal Boring Mill

AIR COMPRESSORS

Ingersoll Rand Single Stage Air Compressor, Model 30TA25, SN 30T577139, 25 HP
Sullair Rotary Screw Air Compressor, Model VO-25, SN 38428EGH, 12,331 Hours, 25 HP

AIR DRYERS

Vanair Air Dryers, (2) Available

BANDSAWS - HORIZONTAL

Ellis Horizontal Bandsaw, Model 1100, SN 1188439, 6" x 10" Capacity
Wells Horizontal Bandsaw, Model 1000, SN 1748
Ellis Horizontal Bandsaw, Model 1500, SN M89518
Ellis Horizontal Bandsaw, Model 1800, SN 18967977

BANDSAWS - VERTICAL

DoAll Vertical Bandsaw, 26" Throat, Blade Welder & Grinder, 31" x 30" Table (AR&H)

BORING MILLS - HORIZONTAL

6" Giddings & Lewis Floor Type Horizontal Boring Mill, Model 70-H6-UF, SN 425-58, 6" Spindle Diameter, 30' X-Axis Travel, 120" Y-Axis Travel, 48" Z-Axis, 48" Spindle Travel, 144" x 384" Floor Plate, Manual Control, Way Covers, 5.60 - 1,020 RPM, Box Table, Right Angle Head, Facing Head, Underarm Spindle Support Suitable for Keyway Cutting (AR&H)

Lucas Table Type Horizontal Boring Mill, Model 41B-72, SN 41B2001, 13 - 1,500 RPM Spindle Speeds, 42" x 74" Table, 3" Diameter Spindle, 3-Axis DRO

Lucas Table Type Horizontal Boring Mill, Model 42B84, SN 42B2317, Spindle Diameter 5", 9 - 1,200 Spindle Speeds, 48" x 86" Table, 72" Vertical Travel (AR&H)

BORING MILL ACCESSORIES

Angle Plates, 12" x 48" x 96" H, (2) Available
Angle Plates, 16" x 105" x 168" H, (3) Available
Lucas Air Lift Rotary Table, 48" x 60" (AR&H)
T-Slotted Floor Plates (2) 48" x 196" x 14" Thick

CRANES

Manning, Maxwell & Moore Load Lifter, SN 15663, 10 Ton Capacity, 20' Span, Yale Hoist, Pendant Control
(8) Jib Cranes, Wall Mounted, 1 Ton Capacity, w/ Hoist
Jib Crane, Wall Mounted, 3 Ton Capacity

DRILL PRESSES

Rockwell Single Spindle Drill, Model 17-430, SN 83K77014
Jet Single Spindle Drill Press, Model 14M, SN 29403

SALE DATE: WEDNESDAY, MAY 18TH, 10:00 A.M. DOORS OPEN @ 8:00 A.M. IN

DRILLS - RADIAL ARM

Cincinnati Bickford Super Service
5' x 13" Radial Arm Drill, Box Table

ENGINE LATHES

Leblond Engine Lathe,
SN ND3614, 20" Swing x 60" Centers,
Set up for Welding Lathe, No Carriage
Fat Engine Lathe, Model TUR630M,
SN 40455, 26" Swing x 120" Centers, 3
& 4-Jaw Chuck, 18 - 1,800 RPM
Spindle Speeds, 3 1/2" Spindle Hole,
Threading, Taper Attachment, Metric &
Inch Threading, (2) Steady Rests,
4-Way Tool Post Holder

Sydney Engine Lathe, SN 9913, 16"
Swing x 60" Centers, 3 & 4-Jaw Chuck,
15 - 1,000 RPM Spindle Speeds,
Threading, 4-Way Tool Post, Steady
Rest

Clausing Engine Lathe, Model 5914,
SN 504365, 12" Swing x 36" Centers,
3-Jaw Chuck, Taper Attachment,
Threading

Lodge & Shipley Engine Lathe,
SN 45998 (1966), 20" Swing x 108"
Centers, 3 & 4-Jaw Chuck, 7 - 1,740
RPM Spindle Speeds, Tracer
Attachment, Steady Rest (AR&H)

FLANGE FACER - PORTABLE

Climax Portable Flange Facer,
Model 40, SN 40900133, Capacity 11" - 42"

FORK TRUCKS

Toyota Forklift, Model 7FGU30,
SN 63390, 6,000 lb Capacity, 187" Lift,
Propane, Side Shift, Cushion Tires

Towmotor Forklift, 4,000 lb Capacity,
LP Fuel, Cushion Tires

Hyster Model S150 Forklift, 15,000
lb Capacity, Propane, 72" Forks, 220"
Lift, 9' Mast, 3 Stage Side Shift

IRONWORKERS

Edwards Ironworker, Model Jaws IV,
75 Ton Capacity, Punch, Coper, Angle
Flat Bar, Hydraulic Operated

Edwards Hydraulic Ironworker,
Model Jaws IV, 100 Ton Capacity, Coper
Punch Flat Bar Shear

PIPE THREADERS

Oster Threading Machine, Model
655 Pipemaster, SN ACD-309

Rigid Power Pipe Threader, Model
500

PLASMA CUTTER

Thermal Dynamics Plasma Cutter,
Model Pakmaster 150

Python Plasma Cutter, Model Ready
Arc

PRESS BRAKE - HYDRAULIC

**600 Ton Cincinnati Hydraulic Press
Brake**, Model 600H, SN 32175, 600
Ton Capacity, 12" Stroke, 600 Ton Max
Capacity, 17' Overall Bed, 12 1/2'
Between Housings (Location Prestige,
4520 Southway)

**Large Assortment Press Brake
Dies**, 4-way die - 17'-0" long, 12"
adjustable die, 17'-0" L
various top dies, 1/8" radius top dies,
various lengths



600 Ton Cincinnati Hydraulic Press Brake




Ransome Tank Turning Roll



26" x 120" Fat Engine Lathe



16" x 60" Sydney Engine Lathe



20" x 60" Leblond Engine Lathe



20" x 108" Lodge & Shipley Engine Lathe

PRESSES - H FRAME

Custom Built H-Frame Shop Press, 25 Ton Capacity, Enerpac Hand Pump, (3) Available
Rodgers Hydraulic H-Frame Shop Press

ROLLS

Ransome Tank Turning Roll, Approx 45 Ton Capacity, Power & Idler Rolls, Variable Speed, (2) Available

SAND BLAST CABINET

Skat Blast Hand Type Sand Blast Cabinet, Dust Collector

SHEAR - FOOT

Pexto Foot Shear, Model 137, 3' x 16 Gauge Capacity

SHEAR - HYDRAULIC SQUARING

Betenbender Hydraulic Squaring Shear, SN 127998, 6' x 1/4" Capacity
American Hercules Hydraulic Squaring Shear, SN 250144430, 12' x 1/4" Capacity, 2-Speed 36" FOPBG, Squaring Arm, (2) 36" Front Supports

SKID STEER LOADER

Bobcat Skid Steer, Model 763, SN 512218414, (1996) Bucket, Grapple Bucket & Fork Attachment

TRAILER

Moritz 25' Tandem Axle Utility Trailer, Model #FBP16TS, w/ Dovetail

VEHICLES

GMC Pickup Truck, Model Sierra K2500 HD, SN 1GTHK24U63E243079 (2003), 56,438 Miles, 4-Wheel Drive, Automatic Transmission, 8' Bed, Western V-Plow, Salt Spreader
Ford Utility Weld Truck, Model Super Duty XL, SN 2FDL4F7M2LCA48457 (1989), 29,873 Miles, Diesel Fuel Tank, Stainless Steel Welding Box on Back
Ford Pickup Truck, Model F250, SN 3FTHF26H7VMA11771 (1997), 90,753 Miles, 4-Wheel Drive, Regular Cab, 8' Bed, Snow Plow

VIBRATORY STRESS RELIEF

Airmatic VSR 8000 Vibratory Stress Relief System, (2008)

WELDING POSITIONERS

Sciaky Welding Positioner, Model WP1-40-A, SN 6659, 2,500 lb Capacity, Variable Speed, 44" Diameter T-Slotted Table
Aronson Welding Positioner, 16,000 lb Capacity, 60" x 60" Table

Sciaky Welding Positioner, Model WP1, SN 7481, 3,000 lb Capacity, Pendant Controlled, 44" Table
Pandjiris Welding Positioner, 40,000 lb., 80" x 80" Capacity

WELDERS

Hobart Torpedo Type Arc Welder, Model MR150, 140 Amp Max
Miller Welder, Model CP-200, SN HG054400 (1976), Millermatic WC-1 Wire Feed
Lincoln Torpedo Type Arc Welder, SN A504617
Tru-Weld Stud Welder, Model SC2000
Miller Welder, Model 320A/BP, SN HG030575 (1976)
Miller DC Inverter & Arc Welder, Model XMT304, SN LB063283 (2001), Millermatic S-54E Wire Feed
Thermal Arc Viking Wire Welder, Model 250GPM, SN R71020A186602A

Miller Extended Reach Wire Feed, Model XR, SN JH289520 (1987)

Miller Arc Welder, Model Deltaweld 450, SN JC605990 (1982), Millermatic S-54A Wire Feed

Miller Inverter Arc Welder, Model Maxtron 450CC/CD, SN KD390483 (1993), Millermatic D54D Digital Wire Feed

Miller Arc Welder, Model Deltaweld 650, SN JG062788 (1986), Millermatic S-54A Wire Feed

Miller Arc Welder, Model Deltaweld 451, SN KD425082 (1993), Miller 24V Wire Feed & Boom Setup

Miller Inverter Arc Welder, Model XMT304 Series DC
Lincoln Wire Welder, Model Idealarc DC-600, SN AC521775

Miller Constant Potential DC Arc Welder, Model MC-300VS, SN JD706707

Miller Welder, Model Deltaweld 651, SN KB018264 (1991), Wire Feed, w Twin 16' Digital Boom

Lincoln Welder, Model Idealarc DC-400, SN AC-614831, Lincoln LN-9 Wire Feed



6,000 Lb. Toyota Forklift



Bobcat Skid Steer



Skat Blast Hand Type Sand Blast Cabinet



6' x 1/4" Betenbender Hydraulic Squaring Shear



100 Ton Edwards Ironworker



12' x 1/4" American Hercules Hydraulic Squaring Shear



Moritz 25' Tandem Axle Utility Trailer with Dovetail



Ford Pickup Truck, Model F250



Cayuga Welding Positioner 16,000 Capacity



Ford Utility Weld Truck, Model Super Duty XL



GMC Pickup Truck, Model Sierra K2500 HD



Pandjiris Welding Positioner 40,000 Lb. Capacity



VSR 8000 Vibratory Stress Relief System



Cincinnati Bickford Super Service 5' x 13" Radial Arm Drill



Lincoln Welder, Model R3S600, SN AC324683

Miller Welder, Model Deltaweld 650, SN JH182301 (1987), Miller S54E Wire Feed

Miller Welder, Model Dimension 400, SN JH294696 (1987)

Miller Welder, Model Deltaweld 652, SN KF923613 (1995), Miller Digital Wire Feed, w 16' Single Digital Boom

Miller DC Inverter & Arc Welder, Model XMT300CC/CV, SN KG081100 (1996)

Miller Welder, Model Deltaweld 651, (1994), w 16' Twin Digital Boom

Miller Direct Current Welder, Model SRS1500B-A1, SN JE737922 (1984)

Miller Welder, Model Dimension 400, SN JK680736, Miller DVCDM2 Wire Feed, Miller Boom

Miller Welders, Model Dimension 452, SN KF966414 (1995) & SN KF944102 (1995), Miller 24V Wire Feed, (2) Available

Miller Welder, Model Deltaweld 400 w 12' Twin Digital Boom

Miller Welder, Model Deltaweld 450, SN JH201700 (1987), 450 AMP, Miller S-52E Wire Feed

Miller CC-CVDC Arc Welder, Model Dimension 400, SN KE722557 (1994), 400 AMP, Millermatic S52A Wire Feed

Miller Big50 Diesel Welder, SN KA849883, 500 Amp., (2) Available

WELDING LAYOUT TABLES

Cast Iron T-Slotted Layout Tables, 68" x 212" x 10" Thick, (2) Available

Weldscale Acorn Plates, 60" x 60" (8) Available

Weldscale Acorn Plates, 60" x 60" w/ frame 32" H

Weldscale Acorn Plates, 60" x 96" w/ frame 32" H

T-Slotted Layout Table, 79" x 20"

T-Slotted Layout Table, 56"W x 20'L x 12" Thick

T-Slotted Layout Table, 68" x 20' x 12" Thick

T-Slotted Layout Table, 56" x 120" x 18" Thick



Miller XMT304 DC Inverter Arc Welder



Miller Matron 450CC/CD DC Inverter Arc Welder




Lincoln Idealarc DC-600 Wire Welder



Assortment of Measuring Tools



Miller Big 50 Diesel Welder (2) Available



Climax Portable Flange Facer



(8) Acorn Plates 60" x 60" or Together 120" x 240" Framed & T-Slotted Layout Tables



Cast Iron T-Slotted Layout Tables



12" Adjustable Press Die



4-Way Press Die

MISCELLANEOUS SHOP EQUIPMENT

(7) Knight Steel Carts, 2,000 lb x 50" x 56"; (6) Magnetic Base Drills; Portapower Portable Hydraulic Units w/ Various Attachments; Benches, Cabinets, Welding Tables, Power & Hand Tools, Bolt Bins, Jacks, Vises, Shop Carts, Shop Fans, Drills, Hole Saws, Torches, Regulators, Dump Hoppers, Ladders, Pallet Racking, Shop Carts, Torches, Shop Fans, C Clamps, Vises, Power & Hand Tools, Tool Holders & Chucks, Drills, Taps & End Mills, Angle Plates

MISCELLANEOUS RIGGING EQUIPMENT

Spreader Bars, Chains, Slings, Clevises, Magnetic Sheet Lifter; Press Brake Dies; Welding Cables & Wire Feeds

MISCELLANEOUS OFFICE EQUIPMENT

Desks, File Cabinets, Copiers, Computers, Software

TERMS OF SALE

G-2000 INC. TERMS AND CONDITION OF THE SALE: These terms are subject to amendments and modifications announced by the Auctioneer at the time of the auction. Any person participating in the auction shall be bound by the following terms and conditions. The Auctioneer does not warrant the accuracy, genuineness, authenticity, description, weight, count or measure of any listings specified herein.

All bidders must register immediately upon entering the site. Everything will be sold to the highest bidder or bidders for cash in accordance with the Auctioneer's Terms and Conditions. **Payment in full is required by May 19, 2011 at 3:00 P.M. All purchases require a deposit on the day of sale of not less than 25%. All payments must be made by cash, certified check, company check with a bank letter of authorization guaranteeing irrevocable payment to G-2000 Inc, or major credit card.**

A 10% Buyer's Premium will apply for on-site cash sales. A 13% Buyer's Premium will apply for on-site credit card sales. A 16% Buyer's Premium will apply for online credit card sales. A 13% Buyer's Premium will apply to pre approved online buyers providing a deposit in advance and paying the balance via wire transfer. All sales are final, on an "As is", "Where is", "In Place", "With all faults" basis with no conditions or warranties, whether expressed, implied, statutory or otherwise, including without limitation, warranties or conditions as to title, description, fitness for purpose, quantity, merchantability, state conditions, location or otherwise. By submitting a bid, the buyer/bidder affirms he has inspected all items before bidding. Purchasers shall be deemed to have relied entirely upon their own inspection and investigations.

Each buyer will be subject to any sales tax chargeable by city and/or the state in addition to the bid price for any asset as purchased, unless proper and acceptable evidence of a certificate of exemption is presented to G-2000 Inc. at the time of payment.

Rigging and removal of sold equipment is the sole responsibility of the buyer and must be completed by the posted date. Rigging and removal may not begin until payment has been made in full and the auction sale is complete. All heavy rigging requiring the use of forklifts, cranes, etc., whether performed by the customer or a rigging company, must present a certificate of insurance for \$1,000,000.00 naming G-2000 Inc. as the insured.

Removal of all items must be complete by June 3, 2011.



PUBLIC MACHINERY AUCTION

10:00 A.M. • WEDNESDAY MAY 18TH

Doors Open at 8:00 A.M.

Inspection Tuesday, May 17th, 8:00 A.M. - 5:00 P.M. & Morning of Sale

- Surplus to the Ongoing Operations of CnD Industries Inc.,
Bankruptcy Case No. 10-62363
 - American Roll & Hold LLC
 - Prestige Equipment
- 706 Tuscarawas St. • Canton, OH

1050 N. Westwood Ave.
Toledo, OH 43607

PRESORTED
FIRST CLASS MAIL
U.S. POSTAGE PAID
TOLEDO, OH
PERMIT NO 811



Sale conducted by:

Scott Yoder,
Auctioneer



G-2000 Inc.

Machinery Auctioneers
Over 25 Years of Experience

PUBLIC INVITED! MACHINERY AUCTION

10:00 A.M. • Wednesday, May 18TH

706 Tuscarawas St.
Canton, OH 44706

Hotel Accommodations:

Fairfield Inn Canton • 5285 Broadmoor Circle NW, • Canton, OH •
(330) 493-7373

Comfort Inn - Hall of Fame • 5345 Broadmoor Circle NW, • Canton,
OH • (330) 492-1331

**RIGGING AVAILABLE! CALL PRIOR TO AUCTION
FOR PRICING AND INFORMATION.**

American Rigging & Crane Inc. • PO Box 445
Enon Ohio 45323

Contact Shawn McMillan

Phone #937-251-9800 • Fax #937-528-1019

Website: www.americanrig.com

Email: shawn@americanrig.com

View Catalog at
www.bidspotter.com
or www.g2000inc.com

G-2000 SERVICES

Auctioning

G-2000 Inc. is a fully licensed industrial and commercial auctioning firm and member of the National Auctioneers Association. Our staff has a total of 25 years of industrial experience. We are building our reputation by focusing on lower cost to our customers through hard work and the application of the latest in marketing technology.

"The money you will save is the money you have earned."

Liquidation

The liquidation of part or all of our customer's machinery or other tangible assets is an effective strategy in today's competitive business environment. The return that our clients realize from an efficient liquidation relies heavily upon the cost of the service charged by the liquidator.

"Get Our Bid First"

Warehousing

G-2000 Inc., has eighty thousand square feet of dry heated warehouse space. Because of our location I-75 at I-80/90 in Toledo, Ohio, our client's equipment is easy to show. At thirty-five cents (.35) per square foot with free unloading, we are the intelligent choice.

"The Customer Saves Money"

Appraisals

Matt Robison, of G-2000 Inc., is a candidate member of the American Society of Appraisers and the National Auctioneers Association. Responsible appraisals done in accordance with USPAP are the basis for profitable lending and borrowing. Unbiased expertise is the key to accurate appraisals.

"G-2000/USPAP—Raising the Bar"