

BID
ONSITE

PUBLIC

BID
ONLINE

WEBCAST AUCTION

**PRECISION CNC MACHINING,
TURNING, VERTICAL TURNING, MACHINE SHOP
AND SHEET METAL FABRICATION FACILITY**

FORMERLY OF

Stover Industries, Inc.



**10:00 A.M. (EDT), THURSDAY, JUNE 17
222 STOVER DR., DELAWARE, OH**

**INSPECTION: WEDNESDAY, JUNE 16, FROM 8:00 A.M. — 4:00 P.M.
AND MORNING OF SALE FROM 8:00 A.M. — 10:00 A.M.**

**FULL
4TH
AXIS**



GREAT AMERICAN GROUP®
WHOLESALE & INDUSTRIAL SERVICES

*Sale in
Conjunction
with*

WWW.GREATAMERICAN.COM • 800-45-GREAT



WWW.G2000INC.COM • 419-536-4445



**FULL
4TH
AXIS**



CNC TURNING CENTERS

1998 OKUMA, MODEL CADET 762-E, SN: 10-10-1226, 12-STATION CROSS SLIDING TURRET, HYDRAULIC TAILSTOCK, OKUMA OSP 700L CONTROL, CHIP CONVEYOR, COOLANT

1998 OKUMA, MODEL CADET 762-E, SN: 10-11-1257, 8" 3-JAW CHUCK, 12-STATION CROSS SLIDING TURRET, HYDRAULIC TAILSTOCK, OKUMA OSP 700L CONTROL, CHIP CONVEYOR, COOLANT



1 of 2

1998 FORTUNE, MODEL VTURN-26, SN: UC-2507, 520MM MAX SWING, 260MM MAX TURNING DIAMETER, 350MM SWING OVER CARRIAGE, 205MM X-AXIS TRAVEL, 1,090MM Z-AXIS TRAVEL, 35 - 3,500 RPM SPINDLE SPEED, 1,130MM CENTER DISTANCE, 10" 3-JAW CHUCK, 10-STATION CROSS SLIDING TURRET, HYDRAULIC TAILSTOCK, FANUC 18-T CONTROL, CHIP CONVEYOR, COOLANT

1998 FORTUNE, MODEL VTURN-26, SN: UC-2488, 520MM MAX SWING, 260MM MAX TURNING DIAMETER, 350MM SWING OVER CARRIAGE, 205MM X-AXIS TRAVEL, 1,090MM Z-AXIS TRAVEL, 35 - 3,500 RPM SPINDLE SPEED, 1,130MM CENTER DISTANCE, 10" 3-JAW CHUCK, 10-STATION CROSS SLIDING TURRET, HYDRAULIC TAILSTOCK, FANUC O-T CONTROL, CHIP CONVEYOR, COOLANT

1990 DAINICHI, MODEL F30X1250, SN: 23675, 28 - 3,500 RPM SPINDLE SPEED, 21.7" MAX SWING, 13.8" MAX TURNING DIAMETER, 49.2" MAX TURNING LENGTH, 50" CENTER DISTANCE, 7.87" X-AXIS TRAVEL, 52" Z-AXIS TRAVEL, 30 HP SPINDLE MOTOR, 12" 3-JAW CHUCK, 12-STATION CROSS SLIDING TURRET, 3,300 RPM SPINDLE SPEED, HYDRAULIC TAILSTOCK, FANUC O-T CONTROL, CHIP CONVEYOR, COOLANT

1990 DAINICHI, MODEL F35X1250, SN: 24347, 25 - 2,500 RPM SPINDLE SPEED, 21.7" MAX SWING, 13.8" MAX TURNING DIAMETER, 49.2" MAX TURNING LENGTH, 50" CENTER DISTANCE, 9.45" X-AXIS TRAVEL, 52" Z-AXIS TRAVEL, 35 HP SPINDLE MOTOR, 15" 3-JAW CHUCK, 10-STATION CROSS SLIDING TURRET, HYDRAULIC TAILSTOCK, FANUC O-T CNC CONTROL, CHIP CONVEYOR, COOLANT

IKEGAI, MODEL TU15, SN: 52547V (1994), 36 - 4,000 RPM SPINDLE SPEED, 8" 3-JAW CHUCK, 12-STATION CROSS SLIDING TURRET, HYDRAULIC TAILSTOCK, FANUC 18-T CONTROL, CHIP CONVEYOR, COOLANT

IKEGAI, MODEL TU25, SN: 50542V (1989), 40 - 3,150 RPM SPINDLE SPEED, 10" 3-JAW CHUCK, 12-STATION CROSS SLIDING TURRET, HYDRAULIC TAILSTOCK, FANUC O-T CONTROL, CHIP CONVEYOR, COOLANT

HARDINGE, MODEL CHNC III, SN: C3-157, 38,377 HOURS, GE FANUC 18-T CONTROL, TURBO VARIABLE SPEED CHIP CONVEYOR, PNEUMATIC COLLET CLOSER, COOLANT

HARDINGE, MODEL CHNC III, SN: C3-158, 27,926 HOURS, GE FANUC 18-T CONTROL, TURBO VARIABLE SPEED CHIP CONVEYOR, PNEUMATIC COLLET CLOSER, COOLANT

DOOSAN, MODEL Z-290, SN: TLXA-033, CHIP CONVEYOR

MACHINE SHOP & MISC. SUPPORT EQUIPMENT

1998 CHEVALIER HYDRAULIC HORIZONTAL SURFACE GRINDER, MODEL FSG-1640AD II, SN: G0887002, 16" X 40" ELECTRO-MAGNETIC CHUCK, OVER-THE WHEEL DRESSER, INCREMENTAL DOWNFEED, COOLANT, MAGNETIC PAPER COOLANT FILTRATION UNIT

SUPER TEC HYDRAULIC HORIZONTAL SURFACE GRINDER, MODEL STP-H1428AD, SN: P58705, 12" X 24" ELECTRO-MAGNETIC CHUCK, OVER-THE-WHEEL DRESSER, INCREMENTAL DOWNFEED, COOLANT

1997 HYD-MECH AUTOMATIC HORIZONTAL BANDSAW, MODEL H-12, SN: A0597858H, 12" DIAMETER ROUND CAPACITY, 75 - 400' PER MINUTE BLADE SPEED, HYD-MECH PLC 100 CONTROL, 40" MAX FEED STROKE, HYDRAULIC CLAMPING & FEED, HYDRAULIC HEAD LIFT, COOLANT

ACRA TURN GAP BED ENGINE LATHE, SN: 118703065, 16" SWING OVER BED, 22" SWING IN GAP, 40" CENTER DISTANCE, 10" 3-JAW CHUCK, 23 - 1,800 RPM SPINDLE SPEED, 2" DIAMETER SPINDLE HOLE, THREAD DIAL, INCH/METRIC THREADING, THREADING HEAD ATTACHMENT, COOLANT

SOUTH BEND ENGINE LATHE, SN: 140111, 16" SWING OVER BED, 36" CENTER DISTANCE, 8" 3-JAW CHUCK, 1 1/2" DIAMETER SPINDLE HOLE, THREAD DIAL, BELT HEAD, 4-WAY TOOL POST, TAPER ATTACHMENT

MILLPORT GAP BED ENGINE LATHE, MODEL SJ-1860G, SN: 670231, 7 1/2 HP SPINDLE MOTOR, 18" SWING OVER BED, 27" SWING IN GAP, 60" CENTER DISTANCE, 10" 3-JAW CHUCK, 20 - 2,000 RPM SPINDLE SPEED, THREAD DIAL, 2 1/4" SPINDLE HOLE, CENTER DISTANCE DRO SCALE

HARDINGE SECOND OPERATION LATHE, MODEL DSM59, 9" SWING OVER BED, 16" CENTER DISTANCE, 230 - 3,500 RPM SPINDLE SPEED, 6-STATION TURRET, MANUAL COLLET CLOSER, COOLANT

CLAUSING KONDISA VERTICAL MILL, MODEL FV-300, SN: V-396, 3 HP SPINDLE MOTOR, 11" X 58" TABLE, SERVO FEED ON X & Y AXES, 2-AXIS DRO, 60 - 4,000 RPM SPINDLE SPEED

CLAUSING KONDISA VERTICAL MILL, MODEL FV-300, SN: S-204, 3 HP SPINDLE MOTOR, 11" X 58" TABLE, SERVO FEED ON X & Y AXES, 2-AXIS DRO, 60 - 4,000 RPM SPINDLE SPEED, POWER DRAWBAR

CLAUSING KONDISA VERTICAL MILL, MODEL FV-300, SN: V-394, 3 HP SPINDLE MOTOR, 11" X 58" TABLE, SERVO-FEED ON X & Y AXES, 2-AXIS DRO, 60 - 4,000 RPM SPINDLE SPEED DURO DYNE SINGLE WALL TURNING VANE ASSEMBLY MACHINE, MODEL PV1 PERFECT VANNER, PART #43005, SN: PV-206A, 36" X 20 GA. CAPACITY

CADILLAC HYDRAULIC RING GEAR MARKING MACHINE, MODEL 58, 3 HP HYDRAULIC MOTCH & MERRYWEATHER MULTI-SPINDLE DRILLING MACHINE, MODEL DRILL, SN: 9-640-82 (1982), (2) 12-SPINDLE DRILLING HEADS, 20 HP SPINDLE MOTOR, 5 HP HYDRAULIC UNIT, TRABON LUBE SYSTEM, COOLANT

R&B MACHINE TOOL COMPANY MULTI-SPINDLE DIAL INDEX MACHINE, SN: SE-4245, (2) 12-SPINDLE HEADS, 30" 3-STATION DIAL INDEX TABLE, TRABON LUBE SYSTEM, HYDRAULIC UNIT, COOLANT



PUBLIC WEBCAST AUCTION

FORMERLY OF

Stover Industries, Inc.

AUCTION DATE:

10:00 A.M. (EDT), Thursday, June 17

AUCTION TO BE HELD AT:

222 Stover Dr., Delaware, OH

INSPECTION:

Wednesday, June 16, From 8:00 A.M. - 4:00 P.M. and Morning of Sale from 8:00 A.M. - 10:00 A.M.

DIRECTIONS:

From Columbus: Take 315 North. Turn Left at Columbus Pike/US-23 North, Slight Left at Sandusky Street, Turn Right on US 42 South, Turn Right on London Road, Turn Right on Johnson Drive, Turn Right on Stover Drive. Please Watch for Auction Signs. Sale site on Right.

TERMS: \$500 Refundable Cash Deposit for Bidders Paddle; Payment by Cash, Cashier's Check, Business Check with Bank Letter of Guarantee; 25% Due Upon Award of Bid; 12% Buyer's Premium & 15% On-line Purchases.

FOR MORE INFORMATION:

rgamityan@greatamerican.com
Phone: 818-884-3747, ext. 1330

AUCTIONEER:

Roy Gamityan, OH Lic. #2003000429



GREAT AMERICAN GROUP.
WHOLESALE & INDUSTRIAL SERVICES

CORPORATE HEADQUARTERS
21860 Burbank Blvd., Suite 300 South
Woodland Hills, CA 91367
Tel. 818-884-3737 • Fax 818-884-3561
www.greatamerican.com

REGIONAL OFFICES:

ATLANTA • BOSTON • CHICAGO
DALLAS • LONDON • LOS ANGELES
NEW YORK • SAN FRANCISCO

Sale in Conjunction with



WWW.G2000INC.COM • 419-536-4445



TWIN PALLET CNC HORIZONTAL MACHINING CENTERS

1996 MATSUURA, MODEL MAM-700HF-PC-2, SN: 960111753, (2) 19 $\frac{3}{4}$ " X 19 $\frac{3}{4}$ " PALLETS, 50-TAPER SPINDLE, MATSUURA/YASNAC 180 CONTROL, 156-TOOL ATC, FULL 4TH AXIS CONTOURING, CHIP CONVEYOR, COOLANT

1995 MAZAK, MODEL HTC-400, SN: 114474, (2) 15 $\frac{3}{4}$ " X 15 $\frac{3}{4}$ " PALLETS, 40-TAPER SPINDLE, MAZAK MAZATROL M PLUS CONTROL, 24-TOOL ATC, CHIP CONVEYOR, COOLANT

1993 KITAMURA, MODEL MYCENTER H500, SN: 43068, 3,956 HOURS, (2) 19 $\frac{3}{4}$ " X 19 $\frac{3}{4}$ " PALLETS, 50-TAPER SPINDLE, FANUC 15-M CONTROL, 60-TOOL ATC, 5,000 RPM MAX SPINDLE SPEED, FULL 4TH AXIS, (2) AUGER CHIP CONVEYORS, STEEL BELT CHIP CONVEYOR

1990 KITAMURA, MODEL MYCENTER H600B, SN: 45046, 225 HOURS, (2) 24 $\frac{3}{4}$ " X 24 $\frac{3}{4}$ " PALLETS, 50-TAPER SPINDLE, FANUC 15-M CONTROL, 60-TOOL ATC, FULL 4TH AXIS, CHIP CONVEYOR, PALLET CHANGE STATION, COOLANT



VERTICAL CNC INVERTED SPINDLE TURNING CENTERS

1999 HITACHI SEIKI, MODEL CS40, SN: CS-40004, 31 $\frac{1}{2}$ " SWING OVER CROSS SLIDE, 24.4" MAX TURNING DIAMETER, 11.8" MAX TURNING LENGTH, 18.9" X-Axis TRAVEL, 26 $\frac{1}{2}$ " Z-Axis TRAVEL, 20-2,000 RPM SPINDLE SPEED, 40 HP SPINDLE MOTOR, 15" 3-JAW CHUCK, 12-STATION TURRET, SEICOS \geq 21L CNC CONTROL, AUTOMATIC PART LOADER, COOLANT

1999 HITACHI SEIKI, MODEL CS40, SN: CS-40018, 31 $\frac{1}{2}$ " SWING OVER CROSS SLIDE, 24.4" MAX TURNING DIAMETER, 11.8" MAX TURNING LENGTH, 18.9" X-Axis TRAVEL, 26 $\frac{1}{2}$ " Z-Axis TRAVEL, 20-2,000 RPM SPINDLE SPEED, 40 HP SPINDLE MOTOR, 15" 3-JAW CHUCK, 12-STATION TURRET, SEICOS \geq 21L CNC CONTROL, AUTOMATIC PART LOADER, CHIP CONVEYOR, COOLANT

1 of 2



CAN'T ATTEND?
BID ONLINE FROM YOUR PC!
REGISTER ONLINE AT:
www.greatamerican.com

VERTICAL CNC TWIN SPINDLE UPPER/LOWER TURNING CENTER

1997 HESSAPP, MODEL DVT-400, SN: 83330, 16" 6-JAW CHUCKS, 12-STATION CROSS SLIDING TURRETS, INDRAMAT CNC CONTROL, CHIP CONVEYORS, PART LOADING STATIONS, 47,893 HOURS, COOLANT



FULL 4TH AXIS

VERTICAL CNC MACHINING CENTERS

1998 FORTUNE, MODEL VCENTER-105, SN: MM-1151, 21 $\frac{1}{2}$ " X 55" TABLE, 32-TOOL ATC, FANUC O-M CONTROL, COOLANT

1996 LEADWELL, MODEL VMC-40, SN: L1SIF0366, 40" X-Axis TRAVEL, 20" Y-Axis TRAVEL, 20" Z-Axis TRAVEL, 60-6,000 RPM SPINDLE SPEED, 19 $\frac{1}{2}$ " X 47" TABLE, 20-TOOL ATC, MITSUBISHI CNC CONTROL, 40-TAPER SPINDLE, COOLANT

KITAMURA, MODEL MYCENTER 2/585, SN: 10679, 23 $\frac{1}{2}$ " X 15" TABLE, 20-TOOL ATC, FANUC O-M CONTROL, KITAMURA MYCENTER APC AUTOMATIC PARTS CHANGER, COOLANT

TWIN SPINDLE CNC VERTICAL TURNING CENTERS

1999 DOOSAN, MODEL V550T, SN: LTD-1022, 31 $\frac{1}{4}$ " MAX SWING, 21.7" MAX TURNING DIAMETER, 24" MAX TURNING LENGTH, 20 - 2,000 RPM SPINDLE SPEED, 12.2" X-Axis TRAVEL, 24" Z-Axis TRAVEL, 15" 3-JAW CHUCKS, 12-STATION CROSS SLIDING TURRETS, FANUC 18-T CONTROL, COOLANT

1996 OKUMA & HOWA, MODEL 2SP-V35, SN: 35093, 23.62" CENTER DISTANCE, 13.78" MAX TURNING DIAMETER, 19.69" MAX SWING, 16.93" MAX TURNING LENGTH, 25 - 2,500 RPM SPINDLE SPEED, 9 $\frac{1}{4}$ " X-Axis TRAVEL, 16.93" Z-Axis TRAVEL, 12" 3-JAW CHUCKS, 12-STATION CROSS SLIDING TURRETS, FANUC 18-T CONTROL, CHIP CONVEYORS, COOLANT

**BID
ONSITE**

PUBLIC WEBCAST AUCTION

**BID
ONLINE**

FORMERLY OF

Stover Industries, Inc.

**PRECISION CNC MACHINING, TURNING, VERTICAL TURNING,
MACHINE SHOP AND SHEET METAL FABRICATION FACILITY**

**10:00 A.M. (EDT), THURSDAY, JUNE 17
222 STOVER DR., DELAWARE, OH**

**INSPECTION: WEDNESDAY, JUNE 16, FROM 8:00 A.M. — 4:00 P.M.
AND MORNING OF SALE FROM 8:00 A.M. — 10:00 A.M.**

G.A. GREAT AMERICAN GROUP
WHOLESALE & INDUSTRIAL SERVICES

21860 Burbank Blvd., Suite 300 South
Woodland Hills, CA 91367
www.greatamerican.com



Auctioneer: Roy Gamityan
OH Lic.# 2003000429

Presorted
First Class
U.S. Postage
PAID
Los Angeles, CA
Permit No. 32365

**ATTENTION:
PRESIDENT OR
MACHINERY BUYER**

MACHINE SHOP & MISC. SUPPORT EQUIPMENT




- SCHERR TUMICO OPTICAL COMPARATOR, MODEL P-2500, SN: 480, 30" DIAMETER SCREEN, 8" X 35" TABLE, PROFILE, SURFACE & SCALE ILLUMINATION
- SCHERR TUMICO OPTICAL COMPARATOR, MODEL P-2500, SN: 274, 30" DIAMETER SCREEN, 8" X 35" TABLE, PROFILE, SURFACE & SCALE ILLUMINATION
- HIGHLIGHT SEMI-AUTOMATIC PALLET STRETCH WRAP MACHINE, MODEL SYNERGY II, 48" X 48" TABLE
- 2008 TENNANT WALK-BEHIND FLOOR SCRUBBER, MODEL 5700 XP, SN: 5700-10392993

SHEET FABRICATION EQUIPMENT

- 1993 AMADA CNC TURRET PUNCH, MODEL PEGA 345 KING, SN: AK-450268, PEGA 304050K, 30 TON CAPACITY, (58) TURRET STATIONS, 10.8 TON MACHINE WEIGHT, BALL TRANSFER TABLE, (2) AUTO INDEX STATIONS, AMADA AMADAN-04P-C CONTROL
- 2008 BAILEIGH INDUSTRIAL INITIAL PINCH PLATE BENDING ROLL, MODEL PR-514HRC, SN: 222987, 61" L X 3 1/2" DIA. ROLL SIZE, 60" X 14 GAUGE CAPACITY, POWER REAR ROLL ADJUSTMENT, VARIABLE SPEED PEDESTAL CONTROL
- ATLANTIC CNC HYDRAULIC PRESS BRAKE, MODEL HD75-6-5, SN: 12825A (REBUILT IN 1989), 75 TON X 72" CAPACITY, 72" L BED & RAM, 7" GAP, AUTOGAUGE G24 SINGLE AXIS CNC BACK GAUGE
- DI-ACRO HYDRA-POWER PRESS BRAKE, MODEL 14-48-2, SN: 6820381791, 17 TON X 48" CAPACITY, 48" L BED & RAM, 6 1/2" GAP, HURCO AUTOBEND IV SINGLE AXIS CNC BACK GAUGE, MODEL SD, SN: NA8022081

SHOP AND WAREHOUSE EQUIPMENT

- 2008 SHOP FANS, SMALL AIR COMPRESSORS, STEEL HAND CARTS, PALLET LIFTS, STEEL BANDING CARTS, VIDMAR TOOLING CABINETS, STEEL SHELVING, STEEL FILING CABINETS, BROOMS, SHOVELS, FIBERGLASS STEP LADDERS, GRANITE SURFACE PLATES, STEEL 2-DOOR STORAGE CABINETS, INSPECTION EQUIPMENT, STEEL PALLET RACKING, STEEL CANTILEVER PALLET RACKING, FREESTANDING JIB CRANES, COLLETS, TABLE VISES, CHUCKS, BORING BARS, CARBIDE CUTTERS, TAPERED DRILLS, END MILLS, TAPS, 50 & 40 TAPER TOOL HOLDERS, MISCELLANEOUS HAND & POWER TOOLS, 6" BELT SANDER, C-FRAME HYDRAULIC PRESS & MORE!



G.A. GREAT AMERICAN GROUP
WHOLESALE & INDUSTRIAL SERVICES

WWW.GREATAMERICAN.COM
800-45-GREAT • 818-884-3747, EXT. 1330