

ORDERED BY  
SECURED  
CREDITOR

# PUBLIC MACHINERY AUCTION

EVERYTHING  
MUST GO!

T TECHNOLOGIES, INC.  
(REPUBLIC SERVICES)  
35555 GENRON CT.  
ROMULUS, MI 48174  
(Behind Detroit Metro Airport off of Eureka)

SALE DATE:  
Tuesday  
September 30  
10:00 A.M.

INSPECTION:  
Monday  
September 29  
9:00 A.M. -  
4:00 P.M.

DON'T MISS  
THIS SALE!



Mori Seiki ZL-150 CNC Lathe

2000

CNC LATHE  
Mori Seiki ZL-150  
CNC Lathe,  
Lex Air Multifeed,  
model M2-2, short  
magazine bar loader

TAKE  
A LOOK!  
THESE  
ITEMS  
AND  
MORE...



Lexair Multifeed CNC Lathe

PUBLIC INVITED!



**G-2000 Inc.**  
*Machinery Auctioneers*

Sale conducted by:

**Scott Yoder,**  
*Auctioneer*

LIC #57-19987621

**G-2000 Inc.**

LIC #63-19986779

1050 N. Westwood  
Toledo, Ohio 43607

Website: [www.g2000inc.com](http://www.g2000inc.com)

E-Mail: [sales@g2000inc.com](mailto:sales@g2000inc.com)

**(419) 536-4445**

**Fax (419) 536-4846**

# PUBLIC MACHINERY AUCTION • TUESDAY, SEPTEMBER 30<sup>TH</sup> • 10:00



## AIR COMPRESSORS & AIR DRYERS

**Pro 4000, 5 HP, 80 GAL, 2 stage, top mounted, 240 V, 1 PH**  
**Gardner Denver Rotary Screw Air Compressor, 40 HP, 230 V, model ECHOHD, SN MO 9957**  
**Gardner Denver Air Compressor, 30 HP, model EJBRGA, 125 MAX, 230 3PH 460**

Pro 4000 5 HP 80 GAL Air Compressor

**Gardner Denver 2 Stage Piston Air Compressor, 15 HP, 125 PSIG, model APLRKAACGCJA, SN Y6H011**  
**Gardner Denver 2 Stage Air Compressor, 15 HP, model AVSAOB, 125 PSIG, SN A09122**  
**Champion 2 Stage Air Compressor, model OEH-36-15, 15 HP motor, 220/440V, 3 PH, SN 147266**  
**Speedaire 2 Stage 5 HP Air Compressor, model 5F227A, 220V, 3PH, SN 110294L55173**  
**Wilkerson Refrigerated Air Dryer, 208-230 V, model A082H-POG, CAP 210 CFM, SN 040285-5491**  
**Wilkerson Refrigerated Air Dryer, model H06-AH-POD, 110V, 60 cy., SN 08-14-90-4978**



Gardner Denver 40 HP Rotary Screw AC



Gardner Denver 15 HP 2 Stage Air Compressor

## BOX & PAN BRAKE

**Tennsmith 48# Finger Brake, model HBV 4816, SN 17409**



Tennsmith 48" Finger Brake

## COLD SAW

**Spartan Cold Saw 12", model 315CNS, 229 V, 3PH, SN P315CNS10017**

## CRANE

**Munck 3 Ton Load Runner, 3 ton cap, pendant control, 30' span, 90' run, 18' lift, SN 92-1937**



Spartan Cold Saw 12"



Munck Load Runner Crane, 3 Ton Cap, Pendant Control

## DEGREASER

**Conforming Matrix Corp. Parts Washing Dip Tank, for C/M 101 Solution, SN SL5372 9507 7017**



Conforming Matrix Corp. Parts Washing Dip Tank




Wilton VSG Single Spindle Drill

**Pratt & Whitney - Fanuc Tape Drill Mate, model T, 10 station tape drill, SN 89XM B 232**


## DRILL PRESSES

**Wilton VSG Single Spindle Drill, model 2035, 18", table 21" x 15", power feed .004 - .012, speeds 80 - 1200**  
**Chicago 22" Floor Type Drill Press, model A1-27, table 16" x 14", speeds 155 - 4200, SN 85819**  
**Leland Gifford Drill Press, 4 spindle, 26", table 58" x 26"**  
**Walker Turner Ram Type Radial Arm Drill, 1/2 HP, 220V, 3 PH, SN 17-0220**

**DON'T MISS THESE GREAT DEALS!**



Leland Gifford 26" 4 Spindle Drill Press



Pratt & Whitney - Fanuc Tape Drill Mate Mod. T

**COME SEE THESE ITEMS AND MORE!**

**INSPECTION MONDAY, SEPTEMBER 29<sup>TH</sup> 9 A.M. - 4 P.M.**


## HELIUM LEAK TESTER

**Vacuum Instrument Corp. Leak Tester, Turbo Text MD-3905**



Vacuum Instrument Corp. Leak Tester

**PROXY BIDS**  
 If you cannot attend this sale we will bid on your behalf.  
 Contact our office at (419) 536-4445 for instructions.



**Dayco NP-60 Crimper**



**Aeroquip FT 1330 Model A Crimp Machine**

**LATHES**

**Acer Dynamic 1440G Lathe**, 14" swing, 36" way, spindle RPM 65 - 2000, threading metric & standard  
**Clousing 12" Swing x 24" Centers**, model 5902, threading & tooling, SN 509400  
**South Bend 13" Swing 30" Centers**, model CL1458, threading

**CNC LATHE**

**Mori Seiki Model ZL15S CNC Lathe**, 26" swing, maximum turning length 15", 4 axis, sub-spindle, bar feed, MSL-501 CNC control, age 2000

**MATERIAL HANDLING**

**Clark 2000 Lb. Capacity Fork Lift**, propane, hard tires, 100" lift height, 42" forks, SN 0208 126-392-109  
**Clark Lift PowrWorker**, model ST408, 3300 lb. capacity, w/charger, SN ST 245-0360 PM-6238  
**Clark 4000 Lb. Capacity Fork Lift**, model IT40B, gasoline, pneumatic tires, 123" lift, SN IT 355-1-3910  
**Toyota 3000 Lb. Capacity Fork Lift**, propane, hard tires, model 42-3FCC45, SN 404FGC15-14188  
**Clark 5000 Lb. Capacity Fork Lift**, gasoline, hard tires, SN 060-287-797667  
**Clark PowrWorker**, model ST20, walk behind stacker truck, SN ST20-7-2132  
**Tennant Trend Floor Sweeper**, Servomatic 32 walk behind, electric sweeper w/charger, SN 06584  
**2 Caterpillar V40B 4000 Lb. Capacity Fork Lift**, stand upright, pneumatic tires, 1974  
**2 Caterpillar V40B 4000 Lb. Capacity Fork Lift**, stand upright, pneumatic tires, 1979  
**2 Caterpillar V40C 4000 Lb. Capacity Fork Lift**, stand upright, pneumatic tires, 1980  
**2 Clark C500-Hy40 4000 Lb. Capacity Fork Lift**, stand upright, pneumatic tires, 1974  
**2 Clark C300-Y40 4000 Lb. Capacity Fork Lift**, stand upright, pneumatic tires, 1979/80



**Finn Power P20 Swager**

**HYDRAULIC SWAGERS/CRIMPERS**

**Finn Power P20**, type P2015, SNs 1.C-2015-31198, 60369-13094, maximum capacity 1 1/4" - 2", 2 available, age 1998

**Lomar Machine Crimpers**, tube size 7/8" - 2" capacity, with dies

**Dayco NP-60 Crimper**, Crimp .625 - 1.960 tube capacity


**Aeroquip FT 1330 Model A Crimp Machine**, SN 89-249, 1" - 2" tube capacity



**South Bend 13" Swing 30" Way Lathe**




**Finn Power P20AE Swager**



**Lomar Crimper w/Dies**



**Acer Dynamic 14" Swing 36" Way Lathe**



**Clark PowrWorker Walk Behind Stacker Truck**

**2 Clark GPX20 4000 Lb. Capacity Fork Lift**, stand upright, pneumatic tires, 1990  
**2 Caterpillar T80D 8000 Lb. Capacity Fork Lift**, cushion tires Fork Boom

**INSPECTION**

3 Height Gauges, Calipers, 24" x 18" Black Granite Surf. Plate, Indicators, Refractometer, 2 12" x 18" Black Granite Surf. Plate, Set Mitutoyo Gauge Blocks

**MACHINE ACCESSORIES**

Bridgeport offset boring head, 5collets, whirly gig, 11 machine vises, 'C' clamps, bar clamps, hold-down clamp sets, Yuasa 10" rotary table, Yuasa index fixture, 'vee' blocks, Kool Mist spary unit, drill chucks, sine plate, drills, taps, tool bits, Tungsten, electrodes, saw blades



**Clousing 12" Swing x 24" Way Lathe**



**Clark 2000 Lb. Capacity Fork Lift**



**Toyota 3000 Lb. Capacity Fork Lift**

*Sale conducted by:*



**Machinery Auctioneers**

**Over 20 Years of Experience**



## OFFICE EQUIPMENT

Miscellaneous office equipment, electronics, appliances, furniture and fixtures

## PAINT BOOTH

Future Cure Paint Booth, 25' x 15' Bake Side, 25' x 15' Paint, 7' x 15' Inspection, vents, heaters, lights, controls, 10' double doors, bake and paint



Future Cure Paint Booth



Future Cure Paint Booth

## PAINT LINE

Ovens, Filters, Sprayers, Dryers, 540' Motorized Conveyor, 2 10' x 7' paint booth

## PLASMA CUTTERS

Snap On Plasma Cutter, Model YA2230

Thermal Arc Plasma Cutter, Model PAK 3XR, SN N50235A18301C

## PRESS BRAKES

Niagara Press Brake 10' x 60 Ton, 8'6" between w/die holders & dies

Whitney-Jenson 18" x 45 Ton Mechanical Brake, 220V, 3PH

Whitney-Jenson 18" x 5 Ton Press Brake, model 29



Whitney-Jenson 18" x 45 Ton Press Brake



Niagara Press Brake 10' x 60 Ton

## RADIAL ARM SAW

Rockwell 12" Radial Arm Saw, model 14-RAS, SN LA3267



Rockwell 12" Radial Arm Saw

## SHEARS

Whitney Jenson 36" x 16 Mechanical Shear



Whitney-Jenson 36" x 16 Mechanical Shear

## SURFACE GRINDERS

Reid Model 618H Surface Grinder, 6" x 12", EM chuck, SN 10594

## TUBE BENDER

Eaton Leonard Tubing Bender, 2" capacity, size 100, 15 HP, CNC control, model & SN VB100HP B121PC1294



Eaton Leonard Tubing Bender



Continental Pipe & Tube Tubing Cutter

## TUBE CUTTERS

Continental Pipe & Tube Tubing Cutter, cutoff 1", SN 25-21826, 1" - 2" capacity

## TUBE END FINISHERS

PR Machinery End Finisher, 7/8" capacity, 2400 3PH, foot control with dies

## TUBE END FORMERS

Torrington Vaill End Former, Model 360, capacity 1", w/dies, SN 3601071  
Vaill Model 60, SN 97E24543, foot control, dies, tube capacity 3/4"



Torrington Vaill End Former



Vaill Model 60

## TUMBLER/FINISHER

Elliott Vibraslide Tumbling Barrel Finisher, model 5, 220V, 3PH, SN 610712  
Empire Abrasive Equipment Corp. Media Blaster Cabinet, model MH-36Y8S-1



Elliott Vibraslide Tumbling Barrel Finisher

## VEHICLES/TRUCKS

1999 Freightliner, 114k miles, M11 + 370 HP Cummings, 10 speed Rockwell, wet kit (PTO)

1978 Chevy Stake C60, vin CCE628V133470, GVWR 24000 lbs., gasoline, 4 speed manual, 18' bed, 187,721 miles, single axle - dual wheels

1987 Ford Box F350, vin 1FDKF37HNA90145, GVWR 11000 lbs., 153078 miles, gasoline, automatic transmission, 12' box

1977 Chevy Cheyenne, vin CKL187F129902, 4WD, auto, 162,653 miles, w/snow plow

## VERTICAL & HORIZONTAL BAND SAWS

Doall 16" Vertical Band Saw, model 16-S.F.P., 24" x 24" table, 220V, 3 PH, SN 79-561130

Horizontal Band Saw, 10" capacity, coolant motor controls

PMC Work-A-Matic Capacity 12" x 24" Bandsaw, vertical roll-in type

Doall 16" Vertical Bandsaw, model ML, 24" x 24" tilting table, 16" throat, blade welder, SN 59499



PMC Work-A-Matic 12" x 24" Bandsaw



Doall 16" Vertical Band Saw



Doall 16" Vertical Band Saw

**PUBLIC INVITED!**

**TUESDAY, SEPTEMBER 30**

# PUBLIC MACHINERY AUCTION • TUESDAY, SEPTEMBER 30<sup>TH</sup> • 10:00 A.M.

## VERTICAL MILLS

Bridgeport Series I 2 HP Vertical Mill, V-Ram,  
9" x 42" table, with D.R.O., SN 12BR 206211



Bridgeport Series  
I 2 HP Vertical Mill

**DON'T MISS THESE GREAT  
DEALS AND MORE!**



## G-2000 Inc.

**Do You Know of a Plant  
Going Out of Business?  
Call Us!  
We pay upfront cash  
referrals.**

### MISCELLANEOUS

2 Oxy-Acetylene outfit; 30 wooden benches; welding tables; barrel trucks; 3 galvanized horse troughs; steel horses; drill grinder; Craftsman 1/3 HP bench grinder; manual tubing bender; 2 hand trucks; heavy duty adj. pallet racks; 21 sections; 2 rolling stairs; stock racks; mop buckets; hose reels; Snap-On parts washer model PBD26 16 gallon capacity, 120V; paint pots, carboys, gallons & gallons of paint & solvent; Atlas compound arbor press; Baldor D.E. pedestal grinder; Delta combination sander, SN 94F03197; 10" buffing jack; MacBeth Super Skylight inspection cabinet; warehouse racking, various heights and depths; Miller welding machine; 4 industrial air compressors, high capacity shop models, various mfgs. and tank sizes; Powermatic model 35 disc sander, 220V, 3 PH, SN 8535119; W.A. Whitney 'C' frame hand punch, model 093-004; The Little Blacksmith model 32 hand nibbler; Aeroquip proof tester model A, capacity -3 thru -32, SN 9706; Sears/Craftsman

12" band saw/sander model 113 24350, 110V, SN 2475; Dayton cut-off saw model 27644A, SN ZJ; fans; rolling carts; shelving; lockers; benches; racks; wheelbarrow; 3 pallet jack; Greenlee model 1800 mechanical bender for 1/2, 3/4 & 1" steel or aluminum; baskets; welding screens; Craftsman 10" compound miter saw, 110V; automotive battery charger; metal parts cabinets; fire extinguisher carts, floor heaters; banding outfit; masking carts; pedestal fans; lockers; paint shaker; fire proof paint cabinet; safety cans; hardware; wire; tape; fluorescent tubes; Miller & Crowmingshield speed drill, 220V, 3 PH; Craftsman D.E. bench grinder, 110V, SN 716490351; Dayton model 6Y001, 6 x 9 belt/disc sander; box stitchers; large air receiving tank; motorized oil recovery tank; electric man lift; 10 HP hydraulic unit; T-Tech bender; T-Tech testers; portable eye wash unit; Fairbanks port. plat. scale 2000 lb.; Parker Hannifin model HBZY bender; shop vac; Craftsman tool box, barrel stands; thermal transfer heat exchanger; self dumping scrap hopper; fork extensions



Miller Welder  
Millermatic 200

### WELDERS

Federal Spot Welder,  
150 amp  
Miller AC/DC Welder,  
320 amp, model 320A/BP,  
SN P342437  
Miller Dialarc - HF-P  
AC/DC TIG Welder,  
300 amp, SN HJ174473  
Millermatic 200, DC  
wire feed welder, 200  
amp, SN SB493740



Tubing Inventory

**MISCELLANEOUS  
STEEL INVENTORY**  
Brake line tubing, fuel line tubing



### DO YOU NEED AN APPRAISAL?

G-2000 Inc. is a candidate member of the American Society of Appraisers and the National Auctioneers Association. Responsible appraisals done in accordance with USPAP are the basis for profitable lending and borrowing. Unbiased expertise is the key to accurate appraisals.

## PUBLIC INVITED!

### TERMS OF SALE

**G-2000 INC. TERMS AND CONDITION OF THE SALE:** These terms are subject to amendments and modifications announced by the Auctioneer at the time of the auction. Any person participating in the auction shall be bound by the following terms and conditions. The Auctioneer does not warrant the accuracy, genuineness, authenticity, description, weight, count or measure of any listings specified herein.

All bidders must register immediately upon entering the site. Everything will be sold to the highest bidder or bidders for cash in accordance with the Auctioneer's Terms and Conditions. **Payment in full is required by October 1, 2003 at 3:00 P.M. All purchases require a deposit on the day of sale of not less than 25%. All payments must be made by cash, certified check, company check with a bank letter of authorization guaranteeing irrevocable payment to G-2000 Inc, or major credit card.**

**A 10% Buyer's Premium will apply at this sale.** All sales are final, on an "As is", "Where is", "In Place", "With all faults" basis with no conditions or warranties, whether expressed, implied, statutory or otherwise, including without limitation, warranties or conditions as to title, description, fitness for purpose, quantity, merchantability, state conditions, location or otherwise. By submitting a bid, the buyer/bidder affirms he has inspected all items before bidding. Purchasers shall be deemed to have relied entirely upon their own inspection and investigations.

Each buyer will be subject to any sales tax chargeable by city and/or the state in addition to the bid price for any asset as purchased, unless proper and acceptable evidence of a certificate of exemption is presented to G-2000 Inc. at the time of payment.

Rigging and removal of sold equipment is the sole responsibility of the buyer and must be completed by the posted date. Rigging and removal may not begin until payment has been made in full and the auction sale is complete. All heavy rigging requiring the use of forklifts, cranes, etc., whether performed by the customer or a rigging company, must present a certificate of insurance for \$1,000,000.00 naming G-2000 Inc. as the insured.

**Removal of paid equipment must be complete by October 10, 2003.**

# INSPECTION SEPTEMBER 29<sup>TH</sup> • 9 A.M. - 4 P.M.

# PUBLIC MACHINERY AUCTION

10:00 A.M. • TUESDAY, SEPTEMBER 30TH 2003

35555 Genron Ct. • Romulus, MI 48174 (Behind Detroit Metro Airport off of Eureka)

**T Technologies,  
Inc. (Republic Services)**

*Sale conducted by:*



**G-2000 Inc.**

*Machinery Auctioneers*  
**Over 20 Years of Experience**

1050 N. Westwood Ave.  
Toledo, OH 43607



PRESORTED  
FIRST CLASS MAIL  
U.S. POSTAGE PAID  
TOLEDO, OH  
PERMIT NO 727

## **PUBLIC INVITED!** **MACHINERY AUCTION**

10:00 A.M. • TUESDAY,  
SEPTEMBER 30<sup>TH</sup>, 2003

**T TECHNOLOGIES, INC.**  
**(REPUBLIC SERVICES)**  
**35555 GENRON CT.**  
**ROMULUS, MICHIGAN**

### **Directions to Sale Site:**

**From the south:** Take I-75 north toward Detroit, merge onto I-275 N, exit 20, take to Eureka Rd, exit 15 toward Metro Airport, turn right onto Eureka Rd, immediately turn right onto Wahrman Rd., go 1/2 mile and turn right onto Genron Ct.

**From the west:** Take I-94 E toward Detroit, merge onto I-275 S via exit 194A toward Toledo, take the Eureka Rd. exit #15 toward Metro Airport for 1/2 mile, turn left on Eureka Rd., turn right on Wahrman Rd., go 1/2 mile & turn right on Genron Ct.

### **Hotel Accommodations:**

Marriott Hotel - Airport 734-247-4482

Red Roof Inn - Detroit Metro Airport 734-641-9006



## **SERVICES**

### **Auctioning**

G-2000 Inc. is a fully licensed industrial and commercial auctioning firm and member of the National Auctioneers Association. Our staff has a total of 25 years of industrial experience. We are building our reputation by focusing on lower cost to our customers through hard work and the application of the latest in marketing technology.

*"The money you will save is the money you have earned."*

### **Liquidation**

The liquidation of part or all of our customer's machinery or other tangible assets is an effective strategy in today's competitive business environment. The return that our clients realize from an efficient liquidation relies heavily upon the cost of the service charged by the liquidator.

*"Get Our Bid First"*

### **Warehousing**

G-2000 Inc., has eighty thousand square feet of dry heated warehouse space. Because of our location I-75 at I-80/90 in Toledo, Ohio, our client's equipment is easy to show. At thirty-five cents (.35) per square foot with free unloading, we are the intelligent choice.

*"The Customer Saves Money"*

### **Appraisals**

G-2000 Inc. is a candidate member of the American Society of Appraisers and the National Auctioneers Association. Responsible appraisals done in accordance with USPAP are the basis for profitable lending and borrowing. Unbiased expertise is the key to accurate appraisals.

*"G-2000/USPAP—Raising the Bar"*